Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
M. S. Bretscher
C. R. Cantor
J. Davies
W. F. Dove
G. A. Gilbert
M. Gottesman
R. Huber
A. Klug
D. E. Koshland
S. Lowey
V. Luzzati
M. F. Moody
D. Nathans
C. C. Richardson
P. M. B. Walker
J. C. Wang
K. Weber
S. M. Weissman

VOLUME 118
5 January to 5 February 1978

ACADEMIC PRESS
London New York San Francisco

H 301
73

Copyright © 1978, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 118

NUMBER 1, 5 JANUARY 1978

AMALRIC, F., MERKEL, C., GELFAND, R. and ATTARDI, G., Fractionation of Mitochondrial RNA from HeLa Cells by High-resolution Electrophoresis under Strongly Denaturing Conditions 1

BIRD, A. P. and SOUTHERN, E. M., Use of Restriction Enzymes to Study Eukaryotic DNA Methylation. I. The Methylation Pattern in Ribosomal DNA from *Xenopus laevis* 27

BIRD, A. P., Use of Restriction Enzymes to Study Eukaryotic DNA Methylation. II. The Symmetry of Methylated Sites Supports Semi-conservative Copying of the Methylation Pattern 49

BURCKHARDT, J. and BIRNSTIEL, M. L., Analysis of Histone Messenger RNA of *Drosophila melanogaster* by Two-dimensional Gel Electrophoresis. . 61

REMINGTON, S. J., ANDERSON, W. F., OWEN, J., TEN EYCK, L. F., GRAINGER, C. T. and MATTHEWS, B. W., Structure of the Lysozyme from Bacteriophage T4: An Electron Density Map at 2·4 Å Resolution 81

BODE, W., SCHWAGER, P. and HUBER, R., The Transition of Bovine Trypsinogen to a Trypsin-like State upon Strong Ligand Binding, The Refined Crystal Structures of the Bovine Trypsinogen–Pancreatic Trypsin Inhibitor Complex and of its Ternary Complex with Ile-Val at 1·9 Å Resolution . 99

LETTERS TO THE EDITOR

GINGERAS, T. R., MYERS, P. A., OLSEN, J. A., HANBERG, F. A. and ROBERTS, R. J., A New Specific Endonuclease Present in *Xanthomonas holcicola, Xanthomonas papavericola* and *Brevibacterium luteum* . . 113

BEAR, R. S., ADAMS, J. B. and POULTON, J. W., Disclosure by Fourier Methods of a Long-range Pattern of Non-polar Residues in the α1(I) Sequence of Collagen 123

ARRAND, J. R., MYERS, P. A. and ROBERTS, R. J., A New Restriction Endonuclease from *Streptomyces albus* G 127

NUMBER 2, 15 JANUARY 1978

SAWYER, L., SHOTTON, D. M., CAMPBELL, J. W., WENDELL, P. L., MUIRHEAD, H., WATSON, H. C., DIAMOND, R. and LADNER, R. C., The Atomic Structure of Crystalline Porcine Pancreatic Elastase at 2·5 Å Resolution: Comparisons with the Structure of α-Chymotrypsin 137

LEHRER, S. S., Effects of an Interchain Disulfide Bond on Tropomyosin Structure: Intrinsic Fluorescence and Circular Dichroism Studies . . . 209

ANDERSON, M. L. M., Number and Size Distribution of the DNA Chains in *Escherichia coli* 227

LETTER TO THE EDITOR

MERRIL, C., GOTTESMAN, M., COURT, D. and ADHYA, S., Disco-ordinate Expression of the *Escherichia coli gal* Operon after Prophage Lambda Induction 241

ANNOUNCEMENTS 247

NUMBER 3, 25 JANUARY 1978

TATA, J. R. and BAKER, B., Enzymatic Fractionation of Nuclei: Polynucleosomes and RNA Polymerase II as Endogenous Transcriptional Complexes 249

WARME, P. K. and MORGAN R. S., A Survey of Atomic Interactions in 21 Proteins 273

WARME, P. K. and MORGAN, R. S., A Survey of Amino Acid Side-chain Interactions in 21 Proteins 289

BLUM, A. D., SMALLCOMBE, S. H. and BALDWIN, R. L., Nuclear Magnetic Resonance Evidence for a Structural Intermediate at an Early Stage in the Refolding of Ribonuclease A. 305

NALL, B. T., GAREL, J-R. and BALDWIN, R. L., Test of the Extended Two-state Model for the Kinetic Intermediates Observed in the Folding Transition of Ribonuclease A 317

GAREL, J-R., Early Steps in the Refolding Reaction of Reduced Ribonuclease A 331

JACKSON, E. N., MILLER, H. I. and ADAMS, M. L., *Eco*RI Restriction Endonuclease Cleavage Site Map of Bacteriophage P22 DNA . . . 347

JACKSON, E. N., JACKSON, D. A. and DEANS, R. J., *Eco*RI Analysis of Bacteriophage P22 DNA Packaging 365

WEAVER, S. and LEVINE, M., Replication *in situ* and DNA Encapsulation Following Induction of an Excision-defective Lysogen of *Salmonella* Bacteriophage P22 389

YAMAMOTO, K., KONDO, S. and SUGIMURA, T., Mechanism of Potent Mutagenic Action of *N*-Methyl-*N'*-nitro-*N*-nitrosoguanidine on Intracellular Phage Lambda 413

MATSUURA, S., KAMIYA, R. and ASAKURA, S., Transformation of Straight Flagella and Recovery of Motility in a Mutant *Escherichia coli* . . 431

LETTER TO THE EDITOR

CHAMPOUX, J. J., Mechanism of the Reaction Catalyzed by the DNA Untwisting Enzyme: Attachment of the Enzyme to 3′-Terminus of the Nicked DNA 441

ANNOUNCEMENTS 447

NUMBER 4, 5 FEBRUARY 1978

CALLADINE, C. R., Change of Waveform in Bacterial Flagella: The Role of Mechanics at the Molecular Level 457

SCHWEINGRUBER, M. E., STEWART, J. W. and SHERMAN, F., Amino Acid Replacements of the Evolutionarily Invariant Tryptophan at Position 64 in Mutant Forms of Iso-1-cytochrome *c* from *Saccharomyces cerevisiae* . 481

NELANDER, J. C. and BLAUROCK, A. E., Disorder in Nerve Myelin: Phasing the Higher Order Reflections by Means of the Diffuse Scatter . . . 497

TANIGUCHI, T. and WEISSMANN, C., Site-directed Mutations in the Initiator Region of the Bacteriophage Qβ Coat Cistron and Their Effect on Ribosome Binding 533

WOODHEAD-GALLOWAY, J., HUKINS, D. W. L., KNIGHT, D. P., MACHIN, P. A. and WEISS, J. B., Molecular Packing in Elastoidin Spicules . . . 567

JOHNSON, L. N., WEBER, I. T., WILD, D. L., WILSON, K. S. and YEATES, D. G. R., Crystallographic Analysis at Low Resolution of Metabolite Binding Sites on Phosphorylase *b* 579

Digitized by the Internet Archive
in 2026

https://archive.org/details/journal-of-molecular-biology_january-05-february-05-1978_118_index-contents

Index to Volume 118

α 1(I) sequence of collagen, disclosure by Fourier methods of a long-range pattern of non-polar residues, 123

Adams, J. B. (see also Bear, R. S.), 123

Adams, M. L. (see also Jackson, E. N.), 347

Adhya, S. (see also Merril, C.), 241

Amalric, F., Merkel, C., Gelfand, R. & Attardi, G., Fractionation of mitochondrial RNA from HeLa cells by high-resolution electrophoresis under strongly denaturing conditions, 1

Amino acid replacements of the evolutionarily invariant tryptophan at position 64 in mutant forms of iso-1-cytochrome *c* from *Saccharomyces cerevisiae*, 481

— — side-chain interactions in 21 proteins, a survey, 289

Anderson, M. L. M., Number and size distribution of the DNA chains in *Escherichia coli*, 227

Anderson, W. F. (see also Remington, S. J.), 81

Arrand, J. R., Myers, P. A. & Roberts, R. J., A new restriction endonuclease from *Streptomyces albus* G, 127

Asakura, S. (see also Matsuura, S.), 431

Atomic interactions, a survey in 21 proteins, 273

Attardi, G. (see also Amalric, F.), 1

Bacterial flagella, change of waveform: the role of mechanics at the molecular level, 457

Bacteriophage lambda, intracellular, mechanism of potent mutagenic action of *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine, 413

— P22 DNA, *Eco*RI restriction endonuclease cleavage site map, 347

— — — packaging, *Eco*RI analysis, 365

— —, *Salmonella*, replication *in situ* and DNA encapsulation following induction of an excision-defective lysogen, 389

— Qβ coat cistron, site-directed mutations in the initiator region and their effect on ribosome binding, 533

— T4 lysozyme, structure: an electron density map at 2·4 Å resolution, 81

Baker, B. (see also Tata, J. R.), 249

Baldwin, R. L. (see also Blum, A. D.), 305

— (see also Nall, B. T.), 317

Bear, R. S., Adams, J. B. & Poulton, J. W., Disclosure by Fourier methods of a long-range pattern of non-polar residues in the α 1(I) sequence of collagen, 123

Binding sites, metabolite, on phosphorylase *b*, crystallographic analysis at low resolution, 579

Bird, A. P., Use of restriction enzymes to study eukaryotic DNA methylation. II. The symmetry of methylated sites supports semi-conservative copying of the methylation pattern, 49

— & Southern, E. M., Use of restriction enzymes to study eukaryotic DNA methylation. I. The methylation pattern in ribosomal DNA from *Xenopus laevis*, 27

Birnstiel, M. L. (see also Burckhardt, J.), 61

Blaurock, A. E. (see also Nelander, J. C.), 497

Blum, A. D., Smallcombe, S. H. & Baldwin, R. L., Nuclear magnetic resonance evidence for a structural intermediate at an early stage in the refolding of ribonuclease A, 305

Bode, W., Schwager, P. & Huber, R., The transition of bovine trypsinogen to a trypsin-like state upon strong ligand binding. The refined crystal structures of the bovine trypsinogen–pancreatic trypsin inhibitor complex and of its ternary complex with Ile-Val at 1·9 Å resolution, 99

Bovine trypsinogen, transition to a trypsin-like state upon strong ligand binding; the refined crystal structures of the bovine trypsinogen–pancreatic trypsin inhibitor complex and of its ternary complex with Ile–Val at 1·9 Å resolution, 99

Brevibacterium luteum, *Xanthomonas holcicola* and *Xanthomonas papavericola* contain a new specific endonuclease, 113

Burckhardt, J. & Birnstiel, M. L., Analysis of histone mRNA of *Drosophila melanogaster* by two-dimensional gel electrophoresis, 61

Calladine, C. R., Change of waveform in bacterial flagella: the role of mechanics at the molecular level, 457

Campbell, J. W. (see also Sawyer, L.), 137
Chains, DNA, number and size distribution in *Escherichia coli*, 227
Champoux, J. J., Mechanism of the reaction catalyzed by the DNA untwisting enzyme: attachment of the enzyme to 3′-terminus of the nicked DNA, 441
α-Chymotrypsin structure, comparisons with the structure of crystalline porcine pancreatic elastase at 2·5 Å resolution, 137
Circular dichroism and intrinsic fluorescence studies of the effects of an interchain disulfide bond on tropomyosin structure, 209
Cistron, coat, bacteriophage Qβ, site-directed mutations in the initiator region and their effect on ribosome binding, 533
Cleavage site map, *Eco*RI restriction endonuclease, of bacteriophage P22 DNA, 347
Coat cistron, bacteriophage Qβ, site-directed mutations in the initiator region and their effect on ribosome binding, 533
Collagen, disclosure by Fourier methods of a long-range pattern of non-polar residues in the α1(I) sequence, 123
Court, D. (see also Merril, C.), 241
Crystallographic analysis at low resolution of metabolite binding sites on phosphorylase *b*, 579

Deans, R. J. (see also Jackson, E. N.), 365
DNA chains, number and size distribution in *Escherichia coli*, 227
— encapsulation and replication *in situ* following induction of an excision-defective lysogen of *Salmonella* bacteriophage P22, 389
—, eukaryotic, methylation, study using restriction enzymes: the methylation pattern in ribosomal DNA from *Xenopus laevis*, 27
—, —, —, — — — —: the symmetry of methylated sites supports semi-conservative copying of the methylation pattern, 49
— of bacteriophage P22, *Eco*RI restriction endonuclease cleavage site map, 347
— — — —, —, analysis of packaging, 365
— untwisting enzyme attachment to 3′-terminus of the nicked DNA, 441
Diamond, R. (see also Sawyer, L.), 137
Disco-ordinate expression of the *Escherichia coli gal* operon after prophage lambda induction, 241
Disorder in nerve myelin: phasing the higher order reflections by means of the diffuse scatter, 497
Disulfide bond, interchain, effects on tropomyosin structure: intrinsic fluorescence and circular dichroism studies, 209
Drosophila melanogaster, analysis of histone mRNA by two-dimensional gel electrophoresis, 61

*Eco*RI analysis of bacteriophage P22 DNA packaging, 365
— restriction endonuclease cleavage site map of bacteriophage P22 DNA, 347
Elastase, pancreatic, porcine, crystalline, atomic structure at 2·5 Å resolution: comparisons with the structure of α-chymotrypsin, 137
Elastoidin spicules, molecular packing, 567
Electrophoresis, gel, two-dimensional, used in analysis of histone mRNA of *Drosophila melanogaster*, 61
—, high-resolution, used in fractionation of mitochondrial RNA from HeLa cells under strongly denaturing conditions, 1
Endonuclease, restriction, new, from *Streptomyces albus* G, 127
—, specific, new, present in *Xanthomonas holcicola, Xanthomonas papavericola* and *Brevibacterium luteum*, 113
Enzyme, DNA untwisting, attachment to 3′-terminus of the nicked DNA, 441
Escherichia coli gal operon, disco-ordinate expression after prophage lambda induction, 241
— —, mutant, transformation of straight flagella and recovery of motility, 431
— —, number and size distribution of the DNA chains, 227
Eukaryotic DNA methylation, study using restriction enzymes: the methylation pattern in ribosomal DNA from *Xenopus laevis*, 27
— — —, — — — —: the symmetry of methylated sites supports semi-conservative copying of the methylation pattern, 49
Excision-defective lysogen of *Salmonella* bacteriophage P22, replication *in situ* and DNA encapsulation following its induction, 389

Flagella, bacterial, change of waveform: the role of mechanics at the molecular level, 457
—, straight, transformation and recovery of motility in a mutant *Escherichia coli*, 431

Fluorescence, intrinsic, and circular dichroism studies of the effects of an interchain disulfide bond on tropomyosin structure, 209
Folding transition of ribonuclease A, test of the extended two-state model for the observed kinetic intermediates, 317
Fourier methods disclose long-range pattern of non-polar residues in the α1(I) sequence of collagen, 123
Fractionation, enzymatic, of nuclei: polynucleosomes and RNA polymerase II as endogenous transcriptional complexes, 249
— of mitochondrial RNA from HeLa cells by high-resolution electrophoresis under strongly denaturing conditions, 1

gal operon of *Escherichia coli*, disco-ordinate expression after prophage lambda induction, 241
Garel, J-R., Early steps in the refolding reaction of reduced ribonuclease A, 331
— (see also Nall, B. T.), 317
Gelfand, R. (see also Amalric, F.), 1
Gingeras, T. R., Myers, P. A., Olsen, J. A., Hanberg, F. A. & Roberts, R. J., A new specific endonuclease present in *Xanthomonas holcicola*, *Xanthomonas papavericola* and *Brevibacterium luteum*, 113
Gottesman, M. (see also Merril, C.), 241
Grainger, C. T. (see also Remington, S. J.), 81

Hanberg, F. A. (see also Gingeras, T. R.), 113
HeLa cell mitochondrial RNA, fractionation by high-resolution electrophoresis under strongly denaturing conditions, 1
Histone mRNA of *Drosophila melanogaster*, analysis by two-dimensional gel electrophoresis, 61
Huber, R. (see also Bode, W.), 99
Hukins, D. W. L. (see also Woodhead-Galloway, J.), 567

Ile-Val, effect on crystal structure of the bovine trypsinogen-pancreatic trypsin inhibitor complex; the transition of bovine trypsinogen to a trypsin-like state upon strong ligand binding, 99
Initiator region of the bacteriophage Qβ coat cistron, site-directed mutations and their effect on ribosome binding, 533
Intermediate, structural, at an early stage in the refolding of ribonuclease A, n.m.r. evidence, 305
Intermediates, kinetic, observed in the folding transition of ribonuclease A, test of the extended two-state model, 317
Iso-1-cytochrome *c* from *Saccharomyces cerevisiae*, amino acid replacements of the evolutionarily invariant tryptophan at position 64 in mutant forms, 481

Jackson, D. A. (see also Jackson, E. N.), 365
Jackson, E. N., Jackson, D. A. & Deans, R. J., *Eco*RI analysis of bacteriophage P22 DNA packaging, 365
—, Miller, H. I. & Adams, M. L., *Eco*RI restriction endonuclease cleavage site map of bacteriophage P22 DNA, 347
Johnson, L. N., Weber, I. T., Wild, D. L., Wilson, K. S. & Yeates, D. G. R., Crystallographic analysis at low resolution of metabolite binding sites on phosphorylase *b*, 579

Kamiya, R. (see also Matsuura, S.), 431
Knight, D. P. (see also Woodhead-Galloway, J.), 567
Kondo, S. (see also Yamamoto, K.), 413

λ (see also Prophage), 241, 413
Ladner, R. C. (see also Sawyer, L.), 137
Lehrer, S. S., Effects of an interchain disulfide bond on tropomyosin structure: intrinsic fluorescence and circular dichroism studies, 209
Levine, M. (see also Weaver, S.), 389
Lysogen, excision-defective, of *Salmonella* bacteriophage P22, replication *in situ* and DNA encapsulation following its induction, 389
Lysozyme from bacteriophage T4, structure: an electron density map at 2·4 Å resolution, 81

Machin, P. A. (see also Woodhead-Galloway, J.), 567
Matsuura, S., Kamiya, R. & Asakura, S., Transformation of straight flagella and recovery of motility in a mutant *Escherichia coli*, 431
Matthews, B. W. (see also Remington, S. J.), 81
Merkel, C. (see also Amalric, F.), 1
Merril, C., Gottesman, M., Court, D. & Adhya, S., Disco-ordinate expression of the *Escherichia coli gal* operon after prophage lambda induction, 241
Messenger RNA, histone, of *Drosophila melanogaster*, analysis by two-dimensional gel electrophoresis, 61
Metabolite binding sites on phosphorylase *b*, crystallographic analysis at low resolution, 579
Methylation pattern in ribosomal DNA from *Xenopus laevis*, the symmetry of methylated sites supports semi-conservative copying; use of restriction enzymes to study eukaryotic DNA methylation, 27
— — — — — — — —; use of restriction enzymes to study eukaryotic DNA methylation, 27
Miller, H. I. (see also Jackson, E. N.), 347
Mitochondrial RNA from HeLa cells, fractionation by high-resolution electrophoresis under strongly denaturing conditions, 1
Morgan, R. S. (see also Warme, P. K.), 273, 289
Motility recovery and transformation of straight flagella in a mutant *Escherichia coli*, 431
Muirhead, H. (see also Sawyer, L.), 137
Mutagenic action, potent, of *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine on intracellular phage lambda, mechanism, 413
Mutant *Escherichia coli*, transformation of straight flagella and recovery of motility, 431
— forms of iso-1-cytochrome *c* from *Saccharomyces cerevisiae*, amino acid replacements of the evolutionarily invariant tryptophan at position 64, 481
Mutations, site-directed, in the initiator region of the bacteriophage Qβ coat cistron and their effect on ribosome binding, 533
Myelin, nerve, disorder: phasing the higher order reflections by means of the diffuse scatter, 497
Myers, P. A. (see also Arrand, J. R.), 127
— (see also Gingeras, T. R.), 113

Nall, B. T., Garel, J-R. & Baldwin, R. L., Test of the extended two-state model for the kinetic intermediates observed in the folding transition of ribonuclease A, 317
Nelander, J. C. & Blaurock, A. E., Disorder in nerve myelin: phasing the higher order reflections by means of the diffuse scatter, 497
Nerve myelin disorder: phasing the higher order reflections by means of the diffuse scatter, 497
Nicked DNA, attachment of the untwisting enzyme to the 3′ terminus, 441
N-methyl-*N'*-nitro-*N*-nitrosoguanidine, mechanism of its potent mutagenic action on intracellular phage lambda, 413
Nuclear magnetic resonance evidence for a structural intermediate at an early stage in the refolding of ribonuclease A, 305
Nuclei enzymatic fractionation: polynucleosomes and RNA polymerase II as endogenous transcriptional complexes, 249

Okazaki pieces, uniform labelling, 227
Olsen, J. A. (see also Gingeras, T. R.), 113
Operon, *gal*, of *Escherichia coli*, disco-ordinate expression after prophage lambda induction, 241
Owen, J. (see also Remington, S. J.), 81

P22 (see also Bacteriophage), 347, 365, 389
Packaging of bacteriophage P22 DNA, *Eco*RI analysis, 365
Packing, molecular, in elastoidin spicules, 567
Pancreatic elastase, porcine, crystalline, atomic structure at 2·5 Å resolution: comparisons with the structure of α-chymotrypsin, 137
Phosphorylase *b*, crystallographic analysis at low resolution of metabolite binding sites, 579
Polymerase II for RNA and polynucleosomes as endogenous transcriptional complexes; enzymatic fractionation of nuclei, 249
Polynucleosomes and RNA polymerase II as endogenous transcriptional complexes; enzymatic fractionation of nuclei, 249
Porcine pancreatic elastase, crystalline, atomic structure at 2·5 Å resolution: comparisons with the structure of α-chymotrypsin, 137

Poulton, J. W. (see also Bear, R. S.), 123
Prophage lambda induction and the disco-ordinate expression of the *Escherichia coli gal* operon, 241
Proteins, 21, a survey of amino acid side-chain interactions, 289
—, —, — — — atomic interactions, 273

Qβ (see also Bacteriophage), 533

Refolding reaction of reduced ribonuclease A, early steps, 331
— — — ribonuclease A, n.m.r. evidence for a structural intermediate at an early stage, 305
Remington, S. J., Anderson, W. F., Owen, J., Ten Eyck, L. F., Grainger, C. T. & Matthews, B. W., Structure of the lysozyme from bacteriophage T4: an electron density map at 2·4 Å resolution, 81
Replication *in situ* and DNA encapsulation following induction of an excision-defective lysogen of *Salmonella* bacteriophage P22, 389
Residues, non-polar, in the α1(I) sequence of collagen, disclosure by Fourier methods of a long-range pattern, 123
Restriction endonuclease, *Eco*RI, cleavage site map of bacteriophage P22 DNA, 347
— —, new, from *Streptomyces albus* G, 127
— —, use in study of eukaryotic DNA methylation: the methylation pattern in ribosomal DNA from *Xenopus laevis*, 27
— —, — — — — — — — —: — symmetry of methylated sites supports semi-conservative copying of the methylation pattern, 49
Ribonuclease A, reduced, early steps in the refolding reaction, 331
— — refolding, n.m.r. evidence for a structural intermediate at an early stage, 305
— —, test of the extended two-state model for the kinetic intermediates observed in the folding transition, 317
Ribosomal DNA from *Xenopus laevis*, the methylation pattern; use of restriction enzymes to study eukaryotic DNA methylation, 27
— — — — —, — symmetry of methylated sites supports semi-conservative copying of the methylation pattern; use of restriction enzymes to study eukaryotic DNA methylation, 49
Ribosome binding and the effect of site-directed mutations in the initiator region of the bacteriophage Qβ coat cistron, 533
RNA, messenger, histone, of *Drosophila melanogaster*, analysis by two-dimensional gel electrophoresis, 61
—, mitochondrial, from HeLa cells, fractionation by high-resolution electrophoresis under strongly denaturing conditions, 1
— polymerase II and polynucleosomes as endogenous transcriptional complexes; enzymatic fractionation of nuclei, 249
Roberts, R. J. (see also Arrand, J. R.), 127
— (see also Gingeras, T. R.), 113

Saccharomyces cerevisiae, amino acid replacements of the evolutionarily invariant tryptophan at position 64 in mutant forms of iso-1-cytochrome *c*, 481
Salmonella bacteriophage P22, replication *in situ* and DNA encapsulation following induction of an excision-defective lysogen, 389
Sawyer, L., Shotton, D. M., Campbell, J. W., Wendell, P. L., Muirhead, H., Watson, H. C., Diamond, R. & Ladner, R. C., The atomic structure of crystalline porcine pancreatic elastase at 2·5 Å resolution: comparisons with the structure of α-chymotrypsin, 137
Schwager, P. (see also Bode, W.), 99
Schweingruber, M. E., Stewart, J. W. & Sherman, F., Amino acid replacements of the evolutionarily invariant tryptophan at position 64 in mutant forms of iso-1-cytochrome *c* from *Saccharomyces cerevisiae*, 481
Sequence, α1(I), of collagen, disclosure by Fourier methods of a long-range pattern of non-polar residues, 123
Sherman, F. (see also Schweingruber, M. E.), 481
Shotton, D. M. (see also Sawyer, L.), 137
Side-chain interactions, amino acid, a survey in 21 proteins, 289
Smallcombe, S. H. (see also Blum, A. D.), 305
Southern, E. M. (see also Bird, A. P.), 27
Spicules of elastoidin, molecular packing, 567

Stewart, J. W. (see also Schweingruber, M. E.), 481
Streptomyces albus G, a new restriction endonuclease, 127
Structure, atomic, of crystalline porcine pancreatic elastase at 2·5 Å resolution: comparisons with the structure of α-chymotrypsin, 137
— of the lysozyme from bacteriophage T4: an electron density map at 2·4 Å resolution, 81
— — tropomyosin, effects of an interchain disulfide bond: intrinsic fluorescence and circular dichroism studies, 209
Structures, crystal, of the bovine trypsinogen-pancreatic trypsin inhibitor complex and of its ternary complex with Ile-Val at 1·9 Å resolution; the transition of bovine trypsinogen to a trypsin-like state upon strong ligand binding, 99
Sugimura, T. (see also Yamamoto, K.), 413

T4 (see also Bacteriophage), 81
Taniguchi, T. & Weissmann, C., Site-directed mutations in the initiator region of the bacteriophage Qβ coat cistron and their effect on ribosome binding, 533
Tata, J. R. & Baker, B., Enzymatic fractionation of nuclei: polynucleosomes and RNA polymerase II as endogenous transcriptional complexes, 249
Ten Eyck, L. F. (see also Remington, S. J.), 81
Transcriptional complexes, endogenous: polynucleosomes and RNA polymerase II. Enzymatic fractionation of nuclei, 249
Transformation of straight flagella and recovery of motility in a mutant *Escherichia coli*, 431
Tropomyosin structure, effects of an interchain disulfide bond: intrinsic fluorescence and circular dichroism studies, 209
Trypsinogen, bovine, transition to a trypsin-like state upon strong ligand binding; the refined crystal structures of the bovine trypsinogen–pancreatic trypsin inhibitor complex and of its ternary complex with Ile-Val at 1·9 Å resolution, 99
Tryptophan, evolutionarily invariant, at position 64, amino acid replacements in mutant forms of iso-1-cytochrome *c* from *Saccharomyces cerevisiae*, 481
Two-state model, extended, test for the kinetic intermediates observed in the folding transition of ribonuclease A, 317

Untwisting of DNA, attachment of the catalyzing enzyme to 3′-terminus of the nicked DNA, 441

Warme, P. K. & Morgan, R. S., A survey of amino acid side-chain interactions in 21 proteins, 289
— & Morgan, R. S., A survey of atomic interactions in 21 proteins, 273
Watson, H. C. (see also Sawyer, L.), 137
Waveform change in bacterial flagella: the role of mechanics at the molecular level, 457
Weaver, S. & Levine, M., Replication *in situ* and DNA encapsulation following induction of an excision-defective lysogen of *Salmonella* bacteriophage P22, 389
Weber, I. T. (see also Johnson, L. N.), 579
Weiss, J. B. (see also Woodhead-Galloway, J.), 567
Weissmann, C. (see also Taniguchi, T.), 533
Wendell, P. L. (see also Sawyer, L.), 137
Wild, D. L. (see also Johnson, L. N.), 579
Wilson, K. S. (see also Johnson, L. N.), 579
Woodhead-Galloway, J., Hukins, D. W. L., Knight, D. P., Machin, P. A. & Weiss, J. B., Molecular packing in elastoidin spicules, 567

Xanthomonas holcicola, *Xanthomonas papavericola* and *Brevibacterium luteum* contain a new specific endonuclease, 113
Xenopus laevis ribosomal DNA, the methylation pattern; use of restriction enzymes to study eukaryotic DNA methylation, 27
— — — —, — symmetry of methylated sites supports semi-conservative copying of the methylation pattern; use of restriction enzymes to study eukaryotic DNA methylation, 49

Yamamoto, K., Kondo, S. & Sugimura, T., Mechanism of potent mutagenic action of *N*-methyl-*N*′-nitro-*N*-nitrosoguanidine on intracellular phage lambda, 413
Yeates, D. G. R. (see also Johnson, L. N.), 579